

## **SPECIFICATION**

Mark : **PEUGEOT** Model : **Landtrek** Variant : **1.9D A/T** 

**ENGINE TYPE** 

1.9L Turbo

**TRANSMISSION** 

6-Speed Automatic

Maximum Power

150<sub>Hp/4,000 RPM</sub>

Maximum Torque

350 Nm/1,800 - 2,800 RPM

POWERTRAIN		
Engine Type		1.9L Turbo, 4 Cylinders, I4 (D20T)
Engine Capacity	сс	1,910
Maximum Power	Hp / RPM	150 / 4,000
Maximum Torque	Nm / RPM	350 / 1,800-2,800
Drivetrain	4WD	
Transmission	6-Speed Automatic	
Fuel Type	Diesel	
Fuel System	Common rail	
Fuel Tank Capacity	Litres	80
CHASSIS		
Brake Type	Front	Ventilated Disc
	Rear	Drum
Suspension Type	Front	Double Wishbones
	Rear	Leaf Springs
Steering Type	Hydraulic Power Steering	
Turning Circle Diameter, Curb to Curb	Meter	7.0

Wheel Type				Alloy (Diamond cut)
Wheel Size			18 inch	
Tyre Size			265/60 R18	
Wheel Type (Spare)			Full-size Alloy	
DIMENSIONS			. d. s.ze, mey	
Overall Length		mm	5,331	
Overall Width		mm	1,925	
Overall Height		mm	1,877	
Wheelbase		mm	3,180	
Ground Clearance		mm	235	
Curb Weight		kg	2,095	
EXTERIOR			,	
Front Headlights	LED	LED with Signature Illumination		•
Front Headlights On/Off	Func	tion		Auto
Daytime Running Lights	5			LED
Rear Combination	Bulb	)		•
Taillights				<u> </u>
Front Fog Lights	Bulb	)		•
Rear Fog Lights				Bulb
Windshield Wipers	Rain Sensing			•
	Inte	rmittent l	Function	•
Advanced Keyless Entry				•
Power Adj. & Folding Sid	de Mir	rors with		•
Parking Sensors			Front	•(x2)
			Rear	●(×4)
Roof Rails				
Side Steps				•
INTERIOR				
Engine Start/Stop Butto	on			
Mounted Switches Bluetoo		Audio Control		
		th® Hands-Free		
Cruise Control				
Cruise Control				
Rear View Mirror			Manual	
Instrument Cluster			4.2 inch Colour Display	
One-touch (Up and Down) Power Windows with Anti-Pinch			Driver Only	
Steering Wheel Material		Leather		•
Steering Wheel Adjustr	nent	nent Tilt and Telescopic		•
Drive Mode Selection Switch			Eco / Sport mode	
Air-Conditioning	Dual-zone Auto Climate Control			•
Rear Air-Conditioning Vents			•	
12-Volt Power Outlet			x2	
Interior Lighting	Map Lights			•
	Cabin Light			•
	Cargo Area Light		ght	•(External)

SEATS	SEATS						
Seating Capacity			5				
Front Seats Di	Driver	Adjustment	6-Way Power with 2-Way Lumbar Adjust				
	Front Passenger	Adjustment	6-Way Power with 2-Way Lumbar Adjust				
Rear Seats	2nd Row	<u> </u>	●(60:40 Split Fold)				
Seats Trim		Leatherette	•				
INFOTAINME	NT						
Infotainment S	ystem with Voice Co	ommand	10 inch Capacitive Touch-Screen				
Apple CarPlay® & Android Auto™ Function**			•				
Bluetooth® Han	ds-Free Phone and	Audio Capability	•				
Audio Speakers	5		•(x6)				
USB Ports		•(x3)					
Reverse Camer	a with Distance a	and Width Guidelines	360° view camera				
ADVANCED 1	TECHNOLOGY						
Tyre Pressure M	Ionitoring System		•				
OFF-ROAD TECHNOLOGIES							
4WD Transfer Dial (2WD / 4WD-High / 4WD-Low)			•				
Rear Differential Lock			•				
SAFETY							
SRS Airbags Sy	SRS Airbags System Front ( Side (F		•				
			•				
Curtai		n (Front & Rear)	•				
Electronic	Anti-Lock Braking S	System (ABS)	•				
Stability Program Electronic Brake-For		orce Distribution (EBD)	•				
(ESP) Emergency Brake	Assist (EBA)	•					
	Dynamic Stability	Control (DSC)	•				
Anti-Skid Regulation		on (ASR)	•				
Hill Descent Co	ntrol	•					
Hill Start Assist			•				
Auto Door Lock			•				
		Driver & Passenger	•				
		2nd Row	•				
ISOFIX Child Restraint Anchor Points and Top Tethers			•				
Engine-Immobilizer			•with Anti-theft				
ADVANCED SAFETY TECHNOLOGY							
Lane Departure Warning System			•				

Specification is updated as of: 21/12/2022.

All vehicle models and specification shown are for Malaysia market only. Specification shown may vary from the actual vehicles. Specification may subject to change without prior notice. Pictures shown are for illustration purposes only. It does not depict the actual vehicle

\*Fuel Efficiency info is based on a combined fuel test cycle (Urban & Extra Urban). Test method: NEDC. Origin: United Nations

\*Android Auto will be available upon official launch of service in Malaysia
Date Prepared: 21/12/2022. Prepared By: Product Marketing Division.